

## Declaration of Performance

1	Nr.	A000522401
2	Unique identification code of product-type	52
3	Trademark	<b>FINEO8: 4 mm Planibel Clearlite Annealed - 0,1 mm vacuum - 4 mm Advanced for FINEO pos.3 Annealed</b>
4	Intended use/es	<b>Vacuum insulating glass intended to be used in buildings and construction work</b>
5	Manufacturer	<b>AGC Glass Europe - Avenue Jean Monnet 4 - 1348 Louvain-la-Neuve - Belgium</b>
6	European Assessment Document	<b>EAD 300021-00-0404</b>
7	European Technical Assessment	<b>ETA 20/0048</b>
8	Technical Assessment Body	<b>UBAtc</b>
9	Notified body/ies	<b>1136 1174</b>

### 10 Declared performance/s

ESSENTIAL CHARACTERISTIC	REFERENCE METHOD	PERFORMANCE	AVCP SYSTEM
Reaction to fire	Regulation (EU) 2016/364 <sup>1</sup>	A1	3
Mechanical behavior	EAD 300021/00-0404	Validated <sup>2</sup>	3
Airborne sound insulation performance	ISO 19916-1:2018	Rw (C;Ctr) = 35 (-2;-5) dB	3
Thermal insulation performance	ISO 19916-1:2018	Ug = 0,7 W/m²K g = 61%	3
Durability of coated glass	EN 1096-3:2012	Class: C - Pass	3
Durability of vacuum insulated glass unit	EAD 300021/00-0404	Pass	3

<sup>1</sup> Commission Delegated Regulation (EU) 2016/364, without the need for testing on the basis of it fulfilling the conditions set out in Commission Decision 96/603/EC, as amended by Commission Decisions 2000/605/EC and 2003/424/EC.

<sup>2</sup> Creep resistance of pillars is validated (see C.2 of EAD 300021-00-0404). Fitness for use (see calculation report).

11 The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) N° 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

(name and function)	At (place) on (date of issue)	(signature)
Daniel D'Hont Vice President Downstream Architectural Glass Europe	Louvain-la-Neuve 28/11/2024	